



DIMENSIONS (mm)	4x2	4x4
<b>Overall length</b>	4 343	
<b>Wheelbase</b>	2 657	2 258
<b>Front overhang</b>	857	856
<b>Rear overhang</b>	828	828
<b>Overall width with mirrors folded / with mirrors unfolded</b>	1 813 / 1 921 / 2 069	
<b>Front track</b>	1 574	1 573
<b>Rear track</b>	1 547	1 562
<b>Overall height / with roof bars</b>	1 616 / 1 656	1 621 / 1 661
<b>Unladen height with tailgate open</b>	2 092	2 092
<b>Unladen boot sill height</b>	778	781
<b>Ground clearance (unladen / laden)</b>	209 / 188	217 / 178
<b>Rear passenger knee room</b>	204	
<b>Front passenger elbow width</b>	1 444	
<b>Rear passenger elbow width</b>	1 433	
<b>Front passenger headroom</b>	907	
<b>Rear passenger headroom</b>	894	
<b>Maximum boot entry width</b>	991	
<b>Interior width between wheel arches</b>	1 000	
<b>Maximum loading length, row-2 seats folded down (from the boot door to the back of row-1 seats)</b>	1 672	

CROSSING	4x2	4x4
<b>Approach angle / Departure angle (degrees)</b>	31 / 36	24 / 36
<b>Rampe charge (in degrees)</b>	24	23
<b>Ford depth level (mm)</b>	350	450

BOOT VOLUMES	4x2	4x4
<b>All rows in place, in litres (to the top of the backrest of row-2 seats)</b>	594	520
<b>VDA Value - All row in place, in dm<sup>3</sup> (to the top of the backrest of row-2 seats)</b>	517	450
<b>Maximum volume, row-2 folded down, in litres (to the top of the backrest of row-1)</b>	1 696	1 635

	4x2			4x4
WEIGHTS in kg (May vary by trim level and options choices)	ECO-G 100	TCe 130	HYBRID 140	TCe 130
<b>Minimum unladen weight</b>	1 276	1 304	1 380	1 390
<b>Minimum unladen weight on the front</b>	753	822	836	844
<b>Minimum unladen weight on the rear</b>	555	524	586	592
<b>Gross vehicle weight</b>	1 765	1 800	1 870	1 895
<b>Gross train weight</b>	2 965	3 300	2 620	3 395
<b>Maximum towing weight braked</b>	1 200	1 500	750	1 500
<b>Maximum towing weight unbraked</b>	675	685	725	730
<b>Maximum load on roof bars while driving</b>	80			80

	4x2			4x4
	ECO-G 100	TCe 130	HYBRID 140	TCe 130
<b>STEERING</b>				
<b>Type</b>	Electric power steering			
<b>Turning circle, kerb to kerb (m)</b>	10,86 m			
<b>Wheel turns, lock to lock</b>	2,8			
<b>AXLES</b>				
<b>Front</b>	Pseudo McPherson with anti-roll bars			
<b>Rear</b>	Torsion beam			Pseudo Mc Pherson
<b>TYRES</b>				
<b>Reference tyres</b>	215/70 R16 100H 215/65 R17 99H 215/60 R18 98H	215/65 R17 99H 215/60 R18 98H	215/65 R17 99H 215/60 R18 98H	215/65 R17 99H 3PMSF 215/60 R18 98H 3PMSF
<b>BRAKES</b>				
<b>Front: Diameter x Thickness (mm)</b>	280		296	296 / 280 with electric parking brake
<b>Rear</b>	Drum brakes with manual parking brakes / plain disc 280mm with electric parking brake			

	4x2			4x4
	ECO-G 100	TCe 130	HYBRID 140	TCe 130
<b>POWERTRAINS</b>				
<b>Fuel type</b>	LPG / Gasoline	gasoline	gasoline	gasoline
<b>Emission control standard</b>	EU06W	EU06W	EU06W	EU06W
<b>Approval protocol</b>	WLTP	WLTP	WLTP	WLTP
<b>After-treatment pollution clean-up system</b>	3WC with GPF + UF	3WC with GPF + UF	3WC with GPF + UF	3WC + GPF
<b>Engine type</b>	L3 MPI Turbo	L3 - Turbo	L4 Naturally aspirated	L3 - Turbo
<b>Induction capacity (cm3)</b>	999	1 199	1 598	1 199
<b>Bore x Stroke (mm)</b>	72,2 x 81,34	75,5 x 89,3	78 x 83,6	75,5 x 89,3
<b>Injection type</b>	Indirect	Direct	Indirect	Direct
<b>Maximum power (kW) / from an engine speed of (tr/min)</b>	74kW @4 600 rpm (LPG) 67kW @ 4 800 rpm (petrol)	96kW @ 4 500 rpm	104kW @ 5 600 rpm	96kW @ 4 500 rpm
<b>Maximum to (Nm) / from an engine speed of (tr/min)</b>	170Nm @ 2000 rpm (LPG) 160Nm @ 2 200 rpm (petrol)	230Nm @2100rpm	148Nm@3600 rpm (ICE only)	230Nm @2100rpm
<b>Timing type</b>	Chain	Chain	Chain	Chain
<b>ELECTRIC ASSISTANCE</b>				
<b>Type</b>	Stop & Start	48V BSG (batt 0,8kw/h)	Full Hybrid (batt 1,2kw/h)	48V BSG (batt 0,8kw/h)
<b>GEARBOXES</b>				
<b>Type</b>	Manual	Manual	Automatic	Manual
<b>Number of forward gears</b>	6	6	4	6
<b>Speed at 1,000 rpm</b>	in 1st gear	6,4	7,34	6,0
	in 2nd gear	10,9	12,57	10,3
	in 3rd gear	16,7	19,65	15,8
	in 4th gear	23,7	28,07	23,9
	in 5th gear	30,8	37,4	34,9
	in 6th gear	39,0	48,87	47,6

	4x2			4x4
	ECO-G 100	TCe 130	HYBRID 140	TCe 130
<b>PERFORMANCES</b>				
<b>SCx mini</b>	0.882	0.867	0.883	0.875
<b>Top speed (km/h)</b>	168 LPG	180	160	180
<b>0-100 km/h (s)</b>	13,2 LPG	9,9	10,1	11
<b>Mid-range acceleration from 80 to 120 km/h (s) in 4th gear</b>	10,1 LPG	8,0	7,7 (D)	7,6
<b>CO2 EMISSIONS</b>				
<b>CO2 emissions during WLTP combined cycle (g/km)</b>	126-127 (LPG) 147-148 (petrol)	123-124	113 - 115	135 - 137
<b>FUEL CONSUMPTIONS</b>				
<b>Fuel tank capacity (in litres) - Petrol / LPG (useful capacity)</b>	50 / 50	50	50	55
<b>Fuel consumptions during WLTP combined cycle (L/100 km/h)</b>	8,1 LPG / 6,5 L (petrol)	5,5	5,0 - 5,1	6,0 - 6,1