



## DIMENSIONS AND TECHNICAL DATA

### Dimensions (mm)



### TRUNK (dm<sup>3</sup> VDA / litres)

Trunk volume	375 / 420
Cable storage space	36 / 55
Maximum trunk volume with rear bench folded down	1149 / 1405
<b>DIMENSIONS (mm)</b>	
Overall length	4144
Wheelbase	2624
Front overhang	766
Rear overhang	753
Overall width without mirrors / with unfolded mirrors	1808 / 2020

<b>Front track ground</b>	<b>1548</b>
<b>Rear track ground</b>	<b>1531</b>
<b>Overall height</b>	<b>1552 / 1572</b>
<b>Open tailgate height</b>	<b>2055</b>
<b>Trunk sill height</b>	<b>607</b>
<b>Ground clearance</b>	<b>181</b>
<b>Knee radius in 2nd row</b>	<b>164</b>
<b>Front elbow room</b>	<b>1385</b>
<b>Rear elbow room</b>	<b>1371</b>
<b>Front shoulder width</b>	<b>1369</b>
<b>Rear shoulder width</b>	<b>1317</b>
<b>Front headroom</b>	<b>889</b>
<b>Rear headroom</b>	<b>853</b>
<b>Trunk entry maximum width</b>	<b>893</b>
<b>Interior width between wheel arches</b>	<b>1004</b>
<b>Maximum load length with rear bench and passenger seat folded</b>	<b>2200</b>

	<b>RENAULT 4 E-TECH ELECTRIC</b>	
<b>Version</b>	<b>120 ch urban range</b>	<b>150 ch comfort range</b>
<b>ENGINE</b>		
Type	Electrical synchronous with wound rotor	
Aproval protocol	WLTP	
Maximum power (kW)	90	110
Maximum torque (Nm)	225	245
<b>BATTERY</b>		
Type	Lithium-ion	
Voltage (V)	400	
Capacity (kWh)	40	52
Weight (kg) ( +/-5)	240	300
<b>PERFORMANCES</b>		
Top speed (kph)	150	150
0 - 100 km/h (s)	9,2	8,2
1 000 m standing start (s)	32,3	31,2
Resumption 80-120 kph (s)	8	6,4

SCx	0,762	
<b>RANGE AND CONSUMPTION (WLTP)</b>		
Combined cycle (km)	308	409
Approved consumption in the combined cycle (kWh/100 km)	14,7	15,1
<b>CHARGE</b>		
Onboarded chargers	bidirectional AC 11 kW + DC 80k W	bidirectional AC 11 kW + DC 100 kW
AC 11 kW charging station (10-100%)	3h30	4h30
DC 100 kW charging station (15-80%)	30 min	
<b>BRAKES</b>		
Diameter / thikness of vented front discs (mm))	296 / 26	
Diameter / thickness of solid rear discs (mm)	280 / 9,6	
<b>TYRES</b>		
Tire size	195/60 R18	
Spare wheel	non	
<b>STEERING</b>		
Type	Electric power steering	
Turning circle, curb to curb (m)	10,8	
Steering wheel turns, lock to lock	2,6	
Front axle	McPherson	

Rear axle	Multi-link	
<b>WEIGHT</b>		
Kerb weight (kg)	1410	1462
Gross vehicle weight (kg)	1895	1980
Gross train weight (kg)	2645	2730
Max. braked trailer weight (kg)	750	
Max. unbraked trailer weight (kg)	750	